



# **Build smarter flows with the right accessories**

Accessory guide for workbenches

WFI

# Why accessory guide?

We want to make it easier for others to work smarter. Therefore, we have produced an overview of our accessories for workbenches, for you to create smarter flows. There are opportunities to build both under and over the table – and we are sure that we have solutions that can streamline your business. Try it out!



Watch our assembly video of  
superstructure and accessories!

WFI

# Follow the guide like this!

The guide takes you through our range of accessories for workbenches, from table tops to what can be mounted over and under the table. Finally, we list various options for storage and ergonomic functions to complement the workstation with.



**Table tops**



# Which table top for which work?

Different table tops are suitable for different types of tasks.




---

**A laminate worktop** is well suited for simple assembly and workshop tasks. It has a hard and scratch resistant surface with good resistance to liquids and chemicals. Easy to wipe off and keep clean. Edge strip in grey ABS.




---

**A vinyl worktop** is well suited for packing and assembly work. It has a soft surface that reduces the risk of damage to the product being handled. Edge strip in grey ABS.




---

**A steel worktop** is well suited for heavier assembly and workshop tasks, sharpening, and welding. Used with advantage when high demands are placed on durability. A robust board with a scratch resistant surface that is easy to wipe off. Aluzinc-treated steel sheet and edging on short sides in grey ABS.



# Which table top for which work?

Different table tops are suitable for different types of tasks.




---

**Worktop in oil-hardened board.** Suitable for simple assembly and workshop tasks. Has an insensitive surface that can withstand oil and is gentle on materials. Edge strip in grey ABS.




---

**Worktop in oak parquet.** Suitable for simple assembly and workshop tasks. Durable board with hard surface that is gentle on materials. Aluminum profile in front edge and edging in grey ABS on short sides.




---

**Worktop in polyethylene.** UV and scratch resistant with a hard surface that is gentle on materials and dirt repellent. Approved for contact with food. The board is cold resistant, can be used in humid environments, and is resistant to several chemicals.




**Over the table**



# Suspension and superstructure

Build your own complete system with suspension and superstructure.



3-310-136

## Perforated uprights 1000 mm.

The upright is attached to the frame with the fixing kit. Also available in lengths 1448 and 1928 mm.



3-602-136

## Superstructure kit 670 + 670 mm.


The package includes a pair of fixed arms, lighting ramp, and c-rail. Also available in sizes 670 + 900 and 900 + 900 mm.



1-113-36

## Frame for uprights 1120 mm.

Used for stabilization and as a bracket for uprights, suitable for workbenches HD and LD, as well as W200, W300, W400 and W600. Also available in lengths 1520 and 1920 mm.



1-116-36

## Frame for uprights 2420 mm.

Used for stabilization and as a bracket for uprights, suitable for workbenches HD and LD, as well as W200, W300, W400 and W600.



# Workplace lighting

Qualitative lighting is an important part of the work environment, both to make it easy to perform tasks and pleasant to work in.



3-692

**Workplace Lighting WFI 1200 mm Dimmable.** Compact lighting that is mounted above or on the side of the workbench. Mounted with an angle bracket adapted for c-profile. The chassis is an aluminum box with anti-glare in opal plastic. 4000K. 200-240 v. 0-60w, dimmable. IP20 classified. Life span: 60 000 hours. Also available in 300 and 600 mm.

3-560-670

**Lighting Kit LED 670.** Includes energy efficient LED-lights with accessories for one 670-section. If you build more sections, add more kits. The strip can be installed on the lighting ramp or under shelves. Equipped with magnets, which makes it easy to attach to metal shelves. 12V, 9,6W/meter. 4200K. IP43 classified. Life span 50 000 hours. Also available in 900 mm.


3-272-136

**Power Bar 8 Sockets Complete 900 mm.** Complete power bar made in aluminum profile. The power bar includes an illuminated power switch and is mounted on a metal plate that easily attaches to the back of perforated upright. 220V-250V, 10A, max 2500W. 8 angled outlets, 2 USB-A ports, 2 USB-C ports.



## Perforated panels


With our perforated panels you can hang your tools easily, while still having everything within reach. All panels are powder coated and made of 1,5 mm sheet steel.



3-520-129

**Perforated tool panel 670 mm.**


Hole dimension 9x9 mm and hole distance c/c 38 mm. Also available in 900 mm.



3-521-36

**Perforated tool panel 900 mm.**


Hole dimension 9x9 mm and hole distance c/c 38 mm. Also available in 670 mm.



3-522-129

**Perforated suspension beam 670 mm.**

Hole distance c/c 38 mm. Also available in 900 mm.



3-523-36


**Perforated suspension beam 900 mm.**

Hole distance c/c 38 mm. Also available in 670 mm.



# Perforated panels


With our perforated panels you can hang your tools easily, while still having everything within reach. All panels are powder coated and made of 1,5 mm sheet steel.



9-2029-1400-135

## Perforated tool panel 1400 mm.


Hole dimension 9x9 mm and hole distance c/c 38 mm. Also available in 1600 and 1800 mm.



3-369-135

## Perforated back panel 900 mm.


For upright mounting at the workplace. The panel has 48 slotted holes for our standard plastic bins.



3-299-4

## Whiteboard perforated panel 666 mm.

One side painted in whiteboard paint and the other with perforation for tool hanging. Suitable for wall or upright mounting. Also available in 896 mm.



3-482-135


## Perforated side panel.

Mounted on perforated upright. Rotatable 180° for easy access and suspension of tools around the workstation. Load capacity 20 kg.



# Shelves

Organize at height with shelves, packing table shelves, and suspension rails! We have multiple variants in several sizes and colours, all are mounted on perforated uprights over the table.



3-533-36

## **Shelf 900x300 mm.**

Mounted straight or angled. The shelf is reversible in four ways, with the option of 1 or 3 raced edges and edges front or rear. Also available in 210 mm depth.



3-324-136

## **Shelf 875x450 mm.**


Mounted straight or angled. The shelf is reversible in four ways, with the option of 1 or 3 raced edges and edges front or rear. Also available in 300 mm depth.



3-326-136

## **Shelf 645x450 mm.**

Mounted straight or angled. The shelf is reversible in four ways, with the option of 1 or 3 raced edges and edges front or rear. Also available in 300 mm depth.



3-320-1400-136

## **Packing bench shelf 1400x360 mm.**

Holes in the front edge for attachment of dividers. Also available in 900x300, 900x360, 1600x300, 1600x360 and 1800x360 mm.



## Shelves

Organize at height with shelves, packing table shelves, and suspension rails! We have multiple variants in several sizes and colors, all are mounted on perforated uprights over the table.



3-325-136

### **Shelf 875x610 mm.**


Mounted centered on uprights for deeper storage that does not hang over the table. Also suitable for accessing material from the back.



3-525-36

### **Suspension rail 900 mm.**

For suspension off plastic bins. Mounted straight or angled. Also available in 670 mm.



3-343-136

### **Wire shelf 670x300 mm.**

Bent front edge that is fixed with the help of brackets in an angled or horizontal position. Delivered including consoles.



3-293-136

### **Wire basket 670x175x100 mm.**

Fixed between perforated uprights.



# Shelf dividers


Divide and structure your material with shelf dividers.



3-319-3272-136

**Shelf divider 200x360 mm.**

Suitable for top shelf on a packing table.  
Available in more sizes.



3-319-3472-136

**Shelf divider 400x360 mm.**

Suitable for top shelf on a packing table.  
Available in more sizes.



3-550-136

**Shelf divider 210x140 mm.**

Suitable for top shelf on a packing table.



3-551-136

**Shelf divider 300x170 mm.**

Suitable for top shelf on a packing table.



## Flexible gas spring arms

Improve the ergonomics and flexibility around your workstation with flexible arms! Our range is based on three stable base arms, which are all delivered as standard with a VESA mount for mounting of monitor screen.



30-400-10-7

### Gas spring arm LD.

Tiltable at 35 °, rotatable 90 °, screen rotation of 180 °. Built-in cable management system. Load capacity 8 kg.



30-401-10-7

### Gas spring arm LD + extension.

Tiltable at 35 °, rotatable 90 °, screen rotation of 180 °. Built-in cable management system. Load capacity 8 kg.



30-402-10-7

### Gas spring arm HD.

VESA compatible 75x75 and 100x100 mm. Tilt +- 45°, rotatable 90°. Arm length fully extended 460 mm. Load capacity 15 kg.



30-473-107

### Gas spring arm LD + tablet holder.

Mounted on perforated upright with suspension bracket. VESA mount 75x75 and 100x100 mm. Adapted to tablets 7,9 – 12,5 "



## Flexible gas spring arms

Complete and combine your flexible arm with different accessories.



30-485-107

### **Gas spring arm LD + document holder.**

Mounted on perforated upright with suspension bracket. VESA mount 75x75 and 100x100 mm. Document A4. Rotatable 90°.



30-410-136

**Gas spring arm HD + thin client and keyboard holder.** Mounted on perforated upright with suspension bracket. Adapted for screens 14"-27". VESA compatible 75x75 and 100x100 mm.



30-479-136

### **Gas spring arm HD + keyboard support.**

Mounted on perforated upright with suspension bracket. Arm length fully extended 460 mm. VESA compatible 75x75 and 100x100 mm.



30-478-136

### **Gas spring arm HD + laptop shelf.**

Mounted on perforated upright with suspension bracket. Arm length fully extended 460 mm. VESA compatible 75x75 and 100x100 mm.



# Flexible gas spring arms


Complete and combine your flexible arm with different accessories.



30-483-136

## Gas spring arm HD + plastic bin rail.

Mounted on perforated upright with suspension bracket. Arm length fully extended 460 mm. VESA compatible 75x75 and 100x100 mm.



30-484-129

## Gas spring arm HD + perforated panel.

Mounted on perforated upright with suspension bracket. Arm length fully extended 460 mm. VESA compatible 75x75 and 100x100 mm.



30-486-136

## Gas spring arm HD + shelf.

Mounted on perforated upright with suspension bracket. Arm length fully extended 460 mm. VESA compatible 75x75 and 100x100 mm.



30-415-136

## Gas spring arm HD + screen holder and keyboard holder.

Mounted on perforated upright with suspension bracket. Adapted for screens 14"-27". VESA compatible 75x75 and 100x100 mm.



**Under the table**



## Drawer units

Create storage space under the table with a drawer unit! In our range you will find different types with varying load capacity and number of boxes. All have ball bearing expansions with 100% pull-out.



4-583-136

### **Drawer unit LD.**

Central locking of the chassis which locks all drawers. Maximum load is 25 kg distributed weight. Mounted directly in the worktop.



4-580-136

### **Drawer unit LD.**

Central locking of the chassis which locks the drawer. Maximum load is 25 kg distributed weight. Mounted directly in the worktop.



4-460-301

### **Workshop drawer unit HD.**

Central locking in the frame that locks all drawers. Maximum load is 45 kg distributed weight. Mounted directly in the worktop.



4-495-301


### **Workshop drawer unit HD.**

Central locking in the frame that locks all drawers. Maximum load is 45 kg distributed weight. Mounted directly in the worktop.



## Interior for drawer units

We have drawer interiors in lots of combinations and sizes for all storage needs.



4-585-0

### **Drawer interior for drawer units.**


Consists of 7 slotted sheet metal profiles. Available in several different combinations and sizes.



3-485-0

### **Drawer interior for workshop drawers.**

Fits drawers with inner dimensions 600x450x100 mm. Available in several different combinations and sizes.



3-879-0

### **Drawer interior for workshop drawers.**

Fits drawers with inner dimensions 600x450x50 mm. Available in several different combinations and sizes.



3-379-0

### **Plastic drawer insert in red ABS plastic.**

Hooked into each other and can also be equipped with dividers.



# Storage

Make use of the space under the table with lower shelves. These fit our motorized workbenches and needs to be complemented with suspension brackets when mounting on W300.



9-21013-24-136

## Lower shelf for motorized tables.

Perfect for printers and storage of packaging. Adjustable both in height and sideways. Maximum load is 25 kg distributed weight.



9-21013-23-136

## Lower shelf for motorized tables.

Perfect for printers and storage of packaging. Adjustable both in height and sideways. Maximum load is 25 kg distributed weight.



9-22032-001

## Pull-Out Lower Shelf Complete 1.

Fully extendable with expansions and height adjustable with 40 mm increments. Each shelf has a load capacity of 15 kg distributed weight.



9-22032-006

## Pull-Out Lower Shelf Complete 4.

Fully extendable with expansions and height adjustable with 40 mm increments. Each shelf has a load capacity of 15 kg distributed weight.



## H-frame legs

A selection of our leg stands for workbenches. Most are available in several variants and sizes.



1-106-136

### **H-frame legs LD 300.**

Manually adjustable in steel for workbench LD. Height 700-950 mm, depth 585 mm. Maximum load 300 kg distributed weight.



1-100-136

### **Heavy duty leg stand.**

For workbench or packing table. Height 700-970 mm excluding worktop. Maximum load 500 kg distributed weight.



1-179-136

### **Wheel leg stand HD 500.**

Easily locked with the footrest. The wheels are 125 mm in diameter, swivel with TPE track. Maximum load 500 kg distributed weight.



9-17629-11-35

### **Heavy duty leg stand.**

Manually adjustable in steel for workbench. Height 720-920 mm. Maximum load 500 kg distributed weight.



# **Smart accessories and other equipment**



## Plastic bins

Mount the plastic bins on a suspension rail or place them on shelves. To sort materials and small parts, it can be smart to use bins in different colors. The bins can be stacked on top of each other while the opening in the front makes the materials visible and easily accessible.



4-616-5



4-616-12



4-616-3



4-616-6

Our standard plastic bins have a volume of 4 liters and are available in different colors. The bins are stable and made of polypropylene, a material that can withstand both chemicals and oils.



## Ergonomic accessories

We have a wide range of ergonomic and smart accessories for the workstation. Innovatively developed for you to work flexible with the right functions within good reach.



3-399-136

### **Holder for tape handles.**

Made of grey lacquered steel. Attached to perforated panel or suspension beam.



9-1605-49-136

### **Scanner holder.**

Scanner holder that is suspended using a strong neodymium magnet. The box is tilted 8° upwards to hold the scanner handle in place.



9-2020-10-135

### **Bottle holder.**

With magnetic suspension. Hole diameters 82 mm.



3-538-136


### **Wire shelf for packing slip pockets A5.**

Wire shelf for packing slip pockets C5. Attached with included screw to perforated panel or mounted on the wall.



## Ergonomic accessories

We have a wide range of ergonomic and smart accessories for the workstation. Innovatively developed for you to work flexible with the right functions within good reach.



2-485-136

### **Waste bin for frame workbench.**

Functional waste bin designed to be placed behind the workbench. The bin has a capacity of 40 liter.



2-486-136

### **Pull-out waste bin for workbench.**

Mounted below the table top and is fully extendable for easy handling. The bin is made of plastic and has a capacity of 25 liter.



2-487-136

### **Waste bin for side mounting.**

Simple waste bin for mounting at the front or side of the workbench. The bin is made of recycled polypropylene plastic and has a capacity of 12 liter.



2-487-003


### **Lid for waste bin.**

Lid suitable for side mounted waste bin.



## Ergonomic accessories


We have a wide range of ergonomic and smart accessories for the workstation. Innovatively developed for you to work flexible with the right functions within good reach.



3-780-136

### **Lower roll holder.**

Facilitates and streamlines packing work. The holder makes it easier to roll out kraft paper, corrugated cardboard, bubble wrap or other packaging material on a roll.



3-781-136

### **Upper roll holder.**

Facilitates and streamlines packing work. The holder makes it easier to roll out kraft paper, corrugated cardboard, bubble wrap or other packaging material on a roll.



30-367-7

### **Keyboard shelf.**

Keyboard shelf with wrist support. Stable metal construction with a smart gliding function for easy handling. Tilt 15°. Rotatable 20°.



3-778-136


### **Paper tray with 5 compartments.**

Attached to shelves with magnet or mounted under worktop with screw. Comes with both magnet and screw.



## Ergonomic accessories


We have a wide range of ergonomic and smart accessories for the workstation. Innovatively developed for you to work flexible with the right functions within good reach.



9-17424-60-35

### **Label holder.**

Mounted under the worktop with a wood screw. Space for 100 mm label rolls. Pipe dimension 30 mm.



9-19052-001-35

### **Label holder.**

For label rolls with a maximum diameter of 150 mm. Adjustable in depth for optimized use.



3-930-136

### **Sliding knife unit.**

Equipped with a rotating cutting tool in hardened steel. The cutting unit is suitable for kraft paper, bubble wrap, foam etc. Cutting width 1200 mm, knife diameter 90 mm.



3-776-136

### **Paper holder.**

For perforated uprights.



## Workplace chairs

Complete your workstation with an ergonomic, comfortable, and flexible work chair.



3-504-0

### **Standing support chair 53-72 cm.**

Comfortable seat or standing support for varying working positions. Solid seating surface made of durable polyurethane foam. Steplessly angled seat for optimal sitting position.



3-506-0

### **Work chair classic 52-78 cm.**

Comfortable seat and back made of molded polyurethane foam. Adjustable foot ring and foot cross with sliding feet.



3-516-0

### **Saddle chair 58-77 cm.**

Classic saddle chair with a stable balance base for active sitting. Padded seat covered in black imitation leather, creating a comfortable seating area around the workstation.



H01-004-001-02


### **Creep seat 43-52 cm.**

Flexible stool for garage and workshop. The seat cushion is softly padded, and the height is easily adjusted with a lever to the gas spring.



# Workplace rubber mats

In our range, you will find workplace mats for everything from industrial and demanding environments to packing stations, public spaces, and ESD areas.



3-590-0

## Rubber Mat Coin 0,6 x rmt black/yellow, 13 mm.


Practical workplace mat for packing stations, provides good relief and anti-slip protection. Delivered on a roll or by meter and is available in three different widths, all with a yellow edge.



3-591-0

## Rubber Mat Dial 0,7 x rmt black, 11 mm.


Patterned rubber mat made of a special rubber mix to provide optimal durability in dry industrial environments. Delivered on a roll in three different widths or in special dimensions.



3-598-0

## Rubber Mat Pyramid 0,9 rmt black, 12 mm.

Rubber mat tested and approved for industrial environments, such as welding rooms. Available in both 0.9- and 1.2-meters width and can be delivered in optional lengths up to 18.3 meters.



3-594-0


## Rubber Mat Elite 0,6x0,9 m grafit, 13 mm.

Traditional bumpy mat made of foamed polyurethane. Developed for use in dry indoor environments, for example at assembly and packing stations or in receptions.



# Partition walls

Divide different workstations or larger areas with our partition walls.



615100-135

## **Single partition wall sound absorber.**


Partition wall with sound dampening function. Can be complemented with our standard accessories such as shelves, perforated panels, and suspension rails to create storage space in the same solution.



615115-135

## **Fixed partition wall sound absorber.**


Partition wall with sound dampening function. Can be complemented with our standard accessories such as shelves, perforated panels, and suspension rails to create storage space in the same solution.



615160-135

## **Mobile partition wall window.**

Mobile partition wall with sound dampening function. Equipped with a window for increased visibility and safety around machinery and forklift aisles.



615122-135

## **Double partition wall sheet metal.**

Partition wall in sheet metal. The wall is made of thin folded sheet metal with low weight and a self-supporting construction.



WFI

# Curious about the entire range?

In this guide, we have highlighted a selection and made an overview of our accessories that you can complement and combine your workbench with. All accessories in several variants, colors, and sizes can be found on our website – check out [www.wfi.se](http://www.wfi.se)!



WFI

# Build your own table in The Yelper!

In our configurator, The Yelper, you can build a unique workplace solution directly online. Start by choosing a table based on this guide and then, add accessories which makes your workflow more efficient. Everything in a 3D view with drag and drop function, price information, and the ability to send a quotation request. Existing customers also see their specific prices in The Yelper when logged in.

Try to **build your unique table** directly  
by scanning the QR code:



**Follow us on  
social media!**



Instagram: wfi\_sverige  
LinkedIn: Workplaces For Industries  
YouTube: Workplaces For Industries

For more information: [info@wfiab.se](mailto:info@wfiab.se)

